

AXOR Citterio

Single lever manual bath mixer for concealed installation with lever handle

Surfaces: **chrome** Art. no. : **39455000**



product features


- designed to run 2 outlets
- Flow rate upper outlet (at 3 bar): 21 l/min
- Flow rate lower outlet (at 3 bar): 29 l/min
- ceramic cartridge
- Maximum temperature can be adjusted on installation
- diverter with automatic resetting
- with silencer
- concealed installation
- Noise class: I
- Connection type: basic set
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- WRAS 1903005

Article Details

Price excl. VAT

£ 485.96


Certificates



Product image



Scale drawing




AXOR Citterio

Single lever manual bath mixer for concealed installation with lever handle

Surfaces: **chrome** Art. no. : **39455000**



Flowchart




AXOR Citterio
Single lever manual bath mixer for concealed installation with lever handle
 Surfaces: **chrome** Art. no. : **39455000**



Exploded Drawing

Year of production: >01/16



AXOR Citterio
Single lever manual bath mixer for concealed installation with lever handle
Surfaces: **chrome** Art. no. : **39455000**



Spare part list

Year of production: >01/16

Pos.		Art. no.	Price	PU
1	handle	39491000	-	1
2	screw cover	96338000	-	1
3	diverter knob	96473000	-	1
4	hollow set screw M4x10	97667000	-	1
5	escutcheon	96751000	-	1
6	O-Ring 48x3	95508000	-	1
7	O-ring 29x3	98371000	-	1
8	flange (Rotating Protector)	96395000	-	1
9	sleeve	96448000	-	1
10	holder for escutcheon	98793000	-	1
11	set of fixing screws	97747000	-	1
12	nut	96461000	-	1
13	sleeve	95980000	-	1
14	cartridge, assy	92730000	-	1
15	locking screw for handle	95140000	-	1
16	seal	95008000	-	1
17	set of screws	96525000	-	1
18	selector assy	95014000	-	1
19	O-ring 16x2,3	98207000	-	1
20	O-ring 20x2,5	92602000	-	1
21	O-ring 21x2	98205000	-	1
22	O-ring 16x2	98133000	-	1
23	noise reduction	94073000	-	1
24	extension 25 mm	13595000	-	1
25	set of fixing screws	96454000	-	1
26	extension 22 mm	97407000	-	1
27	escutcheon height = 33 mm (when wall is not deep enough).	14967000	-	1
a	concealed item	01800180	-	1
b	adapter for exchanged connections	93181000	-	1
c	fixation set	96615000	-	1
d	spring for exchanged connections	96365000	-	1